

Cable entry plate KDP plastic, round



The round cable entry plates type KDP/R are a real alternative to cable fitting. Metric connecting thread, to be screwed or clicked in. Extremely quick mounting both of the KDP/R and of the cables. Protection class IP 65 without added time and effort.

 Selection table



Cable entry plate, round, type KDP/R (M50)

Economical connection technology for tool-free wiring of equipment and machinery. Extremely quick mounting of cables and pneumatic conduits. The alternative to cable fittings. For snap-in fastening or screwing in place with a lock nut.

- For snapping in plates of 1.5 - 2.0 mm
- Integrated seal
- Compact construction
- High protection class



Cable entry plate, round, type KDP/R (M63)

Economical connection technology for tool-free wiring of equipment and machinery. Extremely quick mounting of cables and pneumatic conduits. The alternative to cable fittings. For snap-in fastening or screwing in place with a lock nut.

- For snapping in plates of 1.5 - 2.0 mm
- Integrated seal
- Compact construction
- High protection class



Snap-on mounting




Screw-on mounting

Cable entry plate, round, type KDP/R (M50)

Economical connection technology for tool-free wiring of equipment and machinery. Extremely quick mounting of cables and pneumatic conduits. The alternative to cable fittings. For snap-in fastening or screwing in place with a lock nut.

- For snapping in plates of 1.5 - 2.0 mm
- Integrated seal
- Compact construction
- High protection class




Type	Order no.	Colour	Openings total	Opening Number / Ø	Thread metric	A mm	B mm	C mm	D mm	Pack qty.
KDP/R M50/04	87301030	black	4	3 / 6.0 - 10.0 mm	M50x1.5	58	9	24	50.5	1
				1 / 9.6 - 15.9 mm						
KDP/R M50/06	87301032	black	6	1 / 3.0 - 5.5 mm	M50x1.5	58	9	24	50.5	1
				5 / 5.0 - 9.2 mm						
KDP/R M50/08	87301034	black	8	7 / 3.0 - 6.5 mm	M50x1.5	58	9	24	50.5	1
				1 / 6.0 - 10.0 mm						

The right tool for cut-out production

can be found in the chapter
"Punching tools"


Dimensions:



Cable entry plate, round, type KDP/R (M63)

Economical connection technology for tool-free wiring of equipment and machinery. Extremely quick mounting of cables and pneumatic conduits. The alternative to cable fittings. For snap-in fastening or screwing in place with a lock nut.

- For snapping in plates of 1.5 - 2.0 mm
- Integrated seal
- Compact construction
- High protection class



Type	Order no.	Colour	Openings total	Opening Number / Ø	Thread metric	A mm	B mm	C mm	D mm	Pack qty.
KDP/R M63/08	87301040	black	8	2 / 3.0 - 6.5 mm	M63x1.5	71	9	25	63.5	1
				4 / 5.0 - 9.2 mm						
				2 / 9.6 - 15.9 mm						
KDP/R M63/13	87301042	black	13	6 / 3.0 - 5.5 mm	M63x1.5	71	9	25	63.5	1
				6 / 3.0 - 6.5 mm						
				1 / 6.0 - 10.0 mm						
KDP/R M63/19	87301044	black	19	19 / 3.0 - 5.0 mm	M63x1.5	71	9	25	63.5	1

The right tool for cut-out production

can be found in the chapter "Punching tools"

Dimensions:

