
Empty dresspack systems

for Fanuc, Kuka, ABB, Yaskawa and other manufacturers



The Quality Connection





For the empty dresspack systems shown here, the respective scopes of delivery are noted under the corresponding figure. In addition to corrugated/protective hoses in the required nominal diameter, this includes all fastening assemblies from axis 1 to axis 6, retraction systems such as the LSH 3, impact protection rings, bulkhead plates and strain relief systems, which are designed without through holes (solid material) and can therefore still be machined according to the required component diameters.

As with the strain relief systems, the bulkhead plates are also designed without recesses and machined holes. Depending on whether you are looking to use wall feedthroughs, bulkhead fittings or a base housing, you are free to incorporate the individual installation technology just as required.

We offer empty dresspack systems for all popular robot brands, including Fanuc, Kuka, ABB, Yaskawa and various other manufacturers of collaborative robots. The exact robot type can be found on the respective page.

Since we have the most common empty dresspack systems in stock, you benefit from a significantly faster delivery time than with individually configured, all-in-one dresspack systems.

Our empty dresspack systems also offer you maximum flexibility. You can decide for yourself whether you want to use our industry-proven cables/media hoses and order these separately or whether you want to install components you have purchased separately into the empty dresspack systems on site. Whichever option you decide to take, you can rely at all times on our empty dresspack packages: robust, flexible and durable, we meet the most stringent quality requirements.

54

55

Contents

Empty dresspack systems nominal Ø 48 or nominal Ø 70

for KUKA IONTEC robots	4
for KUKA IONTEC robots	6
for KUKA QUANTEC-2 robots	10
for KUKA FORTEC robots	14
for FANUC M-20 robots	18
for FANUC M-700 and M-800 robots	19
for FANUC M-900 robots	21
for FANUC M-2000 robots	25
for FANUC R-1000 robots	29
for FANUC R-2000 robots	33
for ABB IRB 4600 robots	38
for ABB IRB 6700 + ABB IRB 6650S robots	42
for ABB IRB 7600 robots	46
for ABB IRB 8700 robots	50
for YASKAWA robots	52

Empty dresspack systems with B-Flex support

for KUKA cobots/for FANUC cobots

for YASKAWA cobots/for STÄUBLI cobots

for UR cobots	56
for ABB, OMRON, FRANKA EMIKA cobots	56
for TECHMAN cobots	57
Sales network	58
Your contacts	59

les network	58
ur contacts	59


Up-to-date information about products, can also be found on our website > www.LEONI-factory-automation.com

Unless otherwise agreed, the general terms and $% \left(t\right) =\left(t\right) \left(t\right)$ conditions of sale and supply of the respective LEONI company apply to all deliveries.

The contents of this catalogue are protected by copyright. All rights reserved.



for KUKA IONTEC robots



Robot type
KR 30 R2100 Iontec
KR 50 R2100 Iontec
KR 50 R2500 lontec
KR 70 R2100 Iontec


Article no. A1–A2
DPS00002191
DPS00002195
DPS00002199
DPS00002203

Article no. A2–A6
DPS00002192
DPS00002196
DPS00002200
DPS00002204

for KUKA IONTEC robots

Interface axis 3





Contents of lower axis area system

- Support A1–A3
- Corrugated tube nominal Ø 48 (inner Ø 47.5 mm)
- Strain relief solid material
- Interface A3 without holes

- Support A3–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 48 (inner Ø 47.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp


Robot type	
KR 30 R2100 Iontec	
KR 50 R2100 Iontec	
KR 50 R2500 Iontec	
KR 70 R2100 lontec	

Article no. A1–A3
DPS00002193
DPS00002197
DPS00002201
DPS00002205

Article no. A3–A6
DPS00002194
DPS00002198
DPS00002202
DPS00002206



for KUKA QUANTEC robots




Robot type
KR 210 R2700 Extra
KR 210 R3100 Ultra
KR 240 R2500 Prime
KR 240 R2700 Prime
KR 240 R2900 Ultra
KR 270 R2700 Ultra
KR 300 R2500 Ultra

Article no. A1–A2
DPS00002207
DPS00002215
DPS00002223
DPS00002231
DPS00002239
DPS00002247
DPS00002255

Α	rticle no. A2–A6
D	PS00002208
D	PS00002216
D	PS00002224
D	PS00002232
D	PS00002240
D	PS00002248
D	PS00002256

for KUKA QUANTEC robots

Interface axis 3



- Support A3–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 48 (inner Ø 47.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp


Robot type
KR 210 R2700 Extra
KR 210 R3100 Ultra
KR 240 R2500 Prime
KR 240 R2700 Prime
KR 240 R2900 Ultra
KR 270 R2700 Ultra
KR 300 R2500 Ultra

Article no. A1–A3
DPS00002209
DPS00002217
DPS00002225
DPS00002233
DPS00002241
DPS00002249
DPS00002257

Article no. A3–A6
DPS00002210
DPS00002218
DPS00002226
DPS00002234
DPS00002242
DPS00002250
DPS00002258



for KUKA QUANTEC robots




Robot type
KR 210 R2700 Extra
KR 210 R3100 Ultra
KR 240 R2500 Prime
KR 240 R2700 Prime
KR 240 R2900 Ultra
KR 270 R2700 Ultra
KR 300 R2500 Ultra


ı	Article no. A1–A2
	DPS00002211
	DPS00002219
	DPS00002227
	DPS00002235
	DPS00002243
	DPS00002251
	DPS00002259
_	

Article no. A2–A6
DPS00002212
DPS00002220
DPS00002228
DPS00002236
DPS00002244
DPS00002252
DPS00002260

for KUKA QUANTEC robots

Interface axis 3





Contents of lower axis area system

- Support A1–A3
- Corrugated tube nominal Ø 70 (inner 67.5 mm)
- Strain relief solid material
- Interface A3 without holes

- Support A3–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 70 (inner 67.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp

Robot type
KR 210 R2700 Extra
KR 210 R3100 Ultra
KR 240 R2500 Prime
KR 240 R2700 Prime
KR 240 R2900 Ultra
KR 270 R2700 Ultra
KR 300 R2500 Ultra

Article no. A1–A3
DPS00002213
DPS00002221
DPS00002229
DPS00002237
DPS00002245
DPS00002253
DPS00002261


Article no. A3–A6
DPS00002214
DPS00002222
DPS00002230
DPS00002238
DPS00002246
DPS00002254
DPS00002262



10

Empty dresspack systems nominal Ø 48

for KUKA QUANTEC-2 robots




Robot type	
KR 120 R2700-2	
KR 120 R3100-2	
KR 150 R2700-2	
KR 150 R3100-2	
KR 210 R2700-2	
KR 180 R2900-2	
KR 210 R3100-2	
KR 240 R2900-2	
KR 250 R2700-2	
KR 300 R2700-2	

Article no.	A1-A2
DPS000022	263
DPS000022	271
DPS000022	279
DPS000022	287
DPS000022	295
DPS000023	303
DPS000023	311
DPS000023	319
DPS000023	327
DPS000023	335

Article no. A2–A6
DPS00002264
DPS00002272
DPS00002280
DPS00002288
DPS00002296
DPS00002304
DPS00002312
DPS00002320
DPS00002328
DPS00002336

for KUKA QUANTEC-2 robots



Robot type
KR 120 R2700-2
KR 120 R3100-2
KR 150 R2700-2
KR 150 R3100-2
KR 210 R2700-2
KR 180 R2900-2
KR 210 R3100-2
KR 240 R2900-2
KR 250 R2700-2
KR 300 R2700-2


Article no. A1–A3
DPS00002265
DPS00002273
DPS00002281
DPS00002289
DPS00002297
DPS00002305
DPS00002313
DPS00002321
DPS00002329
DPS00002337

Article no. A3–A6
DPS00002266
DPS00002274
DPS00002282
DPS00002290
DPS00002298
DPS00002306
DPS00002314
DPS00002322
DPS00002330
DPS00002338

for KUKA QUANTEC-2 robots

Interface axis 2





Contents of lower axis area system

- Support A1–A2
- Corrugated tube nominal Ø 70 (inner Ø 67.5 mm)
- Strain relief solid material
- Interface A2 without holes


- Support A2–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 70 (inner 67.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp

Robot type
KR 120 R2700-2
KR 120 R3100-2
KR 150 R2700-2
KR 150 R3100-2
KR 210 R2700-2
KR 180 R2900-2
KR 210 R3100-2
KR 240 R2900-2
KR 250 R2700-2
KR 300 R2700-2

Article no. A1–A2
DPS00002267
DPS00002275
DPS00002283
DPS00002291
DPS00002299
DPS00002307
DPS00002315
DPS00002323
DPS00002331
DPS00002339
·

Article no. A2–A6
DPS00002268
DPS00002276
DPS00002284
DPS00002292
DPS00002300
DPS00002308
DPS00002316
DPS00002324
DPS00002332
DPS00002340

for KUKA QUANTEC-2 robots



Robot type
KR 120 R2700-2
KR 120 R3100-2
KR 150 R2700-2
KR 150 R3100-2
KR 210 R2700-2
KR 180 R2900-2
KR 210 R3100-2
KR 240 R2900-2
KR 250 R2700-2
KR 300 R2700-2

Article no. A1–A3
DPS00002269
DPS00002277
DPS00002285
DPS00002293
DPS00002301
DPS00002309
DPS00002317
DPS00002325
DPS00002333
DPS00002341


Article no. A3–A6	
DPS00002270	
DPS00002278	
DPS00002286	
DPS00002294	
DPS00002302	
DPS00002310	
DPS00002318	
DPS00002326	
DPS00002334	
DPS00002342	


14

Empty dresspack systems nominal Ø 48

for KUKA FORTEC robots

Interface axis 2





Contents of lower axis area system

- Corrugated tube nominal Ø 48
- Strain relief solid material

- Support A2–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 48 (inner Ø 47.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp


Robot type
KR 240 R3330 Fortec
KR 280 R3080 Fortec
KR 360 R2830 Fortec
KR 340 R3330 Fortec


Article no. A1–A2
DPS00002343
DPS00002351
DPS00002359
DPS00002367

Article no. A2–A6
DPS00002344
DPS00002352
DPS00002360
DPS00002368

for KUKA FORTEC robots

Interface axis 3





- Support A3–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 48 (inner Ø 47.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp

Robot type
KR 240 R3330 Fortec
KR 280 R3080 Fortec
KR 360 R2830 Fortec
KR 340 R3330 Fortec
KR 420 R3080 Fortec
KR 500 R2830 Fortec
KR 420 R3330 Fortec
KR 510 R3080 Fortec
KR 600 R2830 Fortec


Article no. A1–A3
DPS00002345
DPS00002353
DPS00002361
DPS00002369
DPS00002377
DPS00002385
DPS00002393
DPS00002401
DPS00002409


Article no. A3–A6
DPS00002346
DPS00002354
DPS00002362
DPS00002370
DPS00002378
DPS00002386
DPS00002394
DPS00002402
DPS00002410



for KUKA FORTEC robots

Interface axis 2





Contents of lower axis area system

- Support A1–A2
- Corrugated tube nominal Ø 70 (inner 67.5 mm)
- Strain relief solid material
- Interface A2 without holes


- Support A2–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 70 (inner 67.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp

Robot type
KR 240 R3330 Fortec
KR 280 R3080 Fortec
KR 360 R2830 Fortec
KR 340 R3330 Fortec
KR 420 R3080 Fortec
KR 500 R2830 Fortec
KR 420 R3330 Fortec
KR 510 R3080 Fortec
KR 600 R2830 Fortec

Article no. A1–A2
DPS00002347
DPS00002355
DPS00002363
DPS00002371
DPS00002379
DPS00002387
DPS00002395
DPS00002403
DPS00002411

Article no. A2–A6
DPS00002348
DPS00002356
DPS00002364
DPS00002372
DPS00002380
DPS00002388
DPS00002396
DPS00002404
DPS00002412

for KUKA FORTEC robots



Robot type
KR 240 R3330 Fortec
KR 280 R3080 Fortec
KR 360 R2830 Fortec
KR 340 R3330 Fortec
KR 420 R3080 Fortec
KR 500 R2830 Fortec
KR 420 R3330 Fortec
KR 510 R3080 Fortec
KR 600 R2830 Fortec

Article r	no. A1-A3	
DPS000	02349	
DPS000	02357	
DPS000	02365	
DPS000	02373	
DPS000	02381	
DPS000	02389	
DPS000	02397	
DPS000	02405	
DPS000	02413	

Article no. A3–A6
DPS00002350
DPS00002358
DPS00002366
DPS00002374
DPS00002382
DPS00002390
DPS00002398
DPS00002406
DPS00002414

Empty dresspack systems nominal Ø 48 for FANUC M-20 robots without disconnection and retraction system




- Support A1–A6
- Pre-assembled corrugated tube nominal Ø 48 (inner Ø 47.5 mm) incl. protection
- Strain relief solid material
- Without interface
- Bracket A6 with clamp

Robot type	
M-20iB/25	
M-20iB/25C	
M-20iB/35S	
M-20iD/25	
M-20iD/12L	
M-20iD/35	

Article no. A1–A2	
DPS00002415	
DPS00002416	
DPS00002417	
DPS00002418	
DPS00002419	
DPS00002420	

for FANUC M-700 and M-800 robots

Interface axis 3



Robot type	
M-710iC/20M	
M-710iC/45M	
M-710iC/50	
M-710iC/70	
M-800iA/60	

Article no. A1–A3	
DPS00002441	
DPS00002449	
DPS00002457	
DPS00002465	
DPS00002473	


Article no. A3-A6	
DPS00002442	
DPS00002450	
DPS00002458	
DPS00002466	
DPS00002474	

Strain relief – solid materialBracket A6 with clamp



for FANUC M-700 and M-800 robots

Interface axis 3





Contents of lower axis area system

- Support A1–A3
- Corrugated tube nominal Ø 70 (inner 67.5 mm)
- Strain relief solid material
- Interface A3 without holes

- Support A3–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø70 (inner 67.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp


Robot type
M-710iC/20M
M-710iC/45M
M-710iC/50
M-710iC/70
M-800iA/60


Article no. A1–A3
DPS00002445
DPS00002453
DPS00002461
DPS00002469
DPS00002477

Article no. A3–A6	
DPS00002446	
DPS00002454	
DPS00002462	
DPS00002470	
DPS00002478	

for FANUC M-900 robots

Interface axis 2





- Support A2–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 48 (inner Ø 47.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp

Robot type	
M-900iB/280	
M-900iB/280L	
M-900iB/330L	
M-900iB/360	
M-900iB/400L	
M-900iB/700	

Article no. A1–A2
DPS00002479
DPS00002487
DPS00002495
DPS00002503
DPS00002511
DPS00002519


Article no. A2–A6	
DPS00002480	
DPS00002488	
DPS00002496	
DPS00002504	
DPS00002512	
DPS00002520	



for FANUC M-900 robots

Interface axis 3





Contents of lower axis area system

- Support A1–A3
- Corrugated tube nominal Ø 48 (inner Ø 47.5 mm)
- Strain relief solid material
- Interface A3 without holes

- Support A3–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 48 (inner Ø 47.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp

Robot type	
M-900iB/280	
M-900iB/280L	
M-900iB/330L	
M-900iB/360	
M-900iB/400L	
M-900iB/700	

Article n	o. A1–A3
DPS0000)2481
DPS0000)2489
DPS0000)2497
DPS0000	2505
DPS0000)2513
DPS0000)2521

Article no. A3–A6
DPS00002482
DPS00002490
DPS00002498
DPS00002506
DPS00002514
DPS00002522

for FANUC M-900 robots

Interface axis 2





Contents of lower axis area system

- Support A1–A2
- Corrugated tube nominal Ø 70 (inner 67.5 mm)
- Strain relief solid material
- Interface A2 without holes

- Support A2–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 70 (inner Ø 67.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp

Robot type	
M-900iB/280	
M-900iB/280L	
M-900iB/330L	
M-900iB/360	
M-900iB/400L	
M-900iB/700	

Article no. A1–A3
DPS00002483
DPS00002491
DPS00002499
DPS00002507
DPS00002515
DPS00002523


Article no. A3–A6
DPS00002484
DPS00002492
DPS00002500
DPS00002508
DPS00002516
DPS00002524



for FANUC M-900 robots

Interface axis 3





Contents of lower axis area system

- Support A1–A3
- Corrugated tube nominal Ø 70 (inner 67.5 mm)
- Strain relief solid material
- Interface A3 without holes


- Support A3–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 70 (inner 67.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp

Robot type
M-900iB/280
M-900iB/280L
M-900iB/330L
M-900iB/360
M-900iB/400L
M-900iB/700

Article no. A1–A2
DPS00002485
DPS00002493
DPS00002501
DPS00002509
DPS00002517
DPS00002525

Article no. A2–A6
DPS00002486
DPS00002494
DPS00002502
DPS00002510
DPS00002518
DPS00002526

for FANUC M-2000 robots




Robot type
M-2000iA/900L
M-2000iA/1200
M-2000iA/1700L
M-2000iA/2300

Article no. A1–A2
DPS00002527
DPS00002535
DPS00002543
DPS00002551

Article no. A2–A6	
DPS00002528	
DPS00002536	
DPS00002544	
DPS00002552	



for FANUC M-2000 robots




Robot type
M-2000iA/900L
M-2000iA/1200
M-2000iA/1700L
M-2000iA/2300

Article no. A1–A3
DPS00002529
DPS00002537
DPS00002545
DPS00002553

Article no. A3–A6	
DPS00002530	
DPS00002538	
DPS00002546	
DPS00002554	

for FANUC M-2000 robots



Robot type	
M-2000iA/90	00L
M-2000iA/12	200
M-2000iA/17	700L
M-2000iA/23	300

Article no. A1–A2
DPS00002531
DPS00002539
DPS00002547
DPS00002555


Article no. A2–A6	
DPS00002532	
DPS00002540	
DPS00002548	
DPS00002556	



28

Empty dresspack systems nominal Ø 70

for FANUC M-2000 robots




Robot type	
M-2000iA/900L	
M-2000iA/1200	
M-2000iA/1700L	
M-2000iA/2300	

ı	Article no. A1–A3	
	DPS00002533	
Ī	DPS00002541	
	DPS00002549	
Ī	DPS00002557	

Article no. A3–A6	
DPS00002534	
DPS00002542	
DPS00002550	
DPS00002558	

for FANUC R-1000 robots

Interface axis 2



- Pre-assembled corrugated tube nominal Ø 48 (inner Ø 47.5 mm)
- Strain relief solid material
- Bracket A6 with clamp

Robot type	
R-1000iA/80F	
R-1000iA/100F	
R-1000iA/120F-7B	
R-1000iA/130F	

Article no. A1–A2
DPS00002559
DPS00002567
DPS00002575
DPS00002583


	Article no. A2–A6
	DPS00002560
Ī	DPS00002568
	DPS00002576
	DPS00002584



for FANUC R-1000 robots

Interface axis 3





Contents of lower axis area system

- Support A1–A3
- Corrugated tube nominal Ø 48 (inner Ø 47.5 mm)
- Strain relief solid material
- Interface A3 without holes


- Support A3–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 48 (inner Ø 47.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp

Robot type	
R-1000iA/80F	
R-1000iA/100F	
R-1000iA/120F-7I	3
R-1000iA/130F	

Article no. A1–A3	
DPS00002561	
DPS00002569	
DPS00002577	
DPS00002585	

Article no. A	3-A6
DPS0000256	52
DPS0000257	70
DPS0000257	78
DPS0000258	36

for FANUC R-1000 robots



Robot type
R-1000iA/80F
R-1000iA/100F
R-1000iA/120F-7B
R-1000iA/130F

Article no. A1–A2	
DPS00002563	
DPS00002571	
DPS00002579	
DPS00002587	

Article no. A2–A6
DPS00002564
DPS00002572
DPS00002580
DPS00002588



for FANUC R-1000 robots

Interface axis 3





Contents of lower axis area system

- Support A1–A3
- Corrugated tube nominal Ø 70 (inner 67.5 mm)
- Strain relief solid material
- Interface A3 without holes


- Support A3–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 70 (inner 67.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp

Robot type
R-1000iA/80F
R-1000iA/100F
R-1000iA/120F-7B
R-1000iA/130F

Article no. A1–A3
DPS00002565
DPS00002573
DPS00002581
DPS00002589

Article no. A3–A6	
DPS00002566	
DPS00002574	
DPS00002582	
DPS00002590	

for FANUC R-2000 robots




Robot type
R-2000iC/100P
R-2000iC/125L
R-2000iC/165F
R-2000iC/165R
R-2000iC/210F
R-2000iC/210L
R-2000iC/210R
R-2000iC/240F
R-2000iC/270F
R-2000iC/270R
R-2000iD/100FH
R-2000iD/165FH
R-2000iD/210FH

Article no. A1–A2
DPS00002591
DPS00002599
DPS00002607
DPS00002615
DPS00002623
DPS00002631
DPS00002639
DPS00002647
DPS00002655
DPS00002663
DPS00002671
DPS00002679
DPS00002687

Article no. A2–A6
DPS00002592
DPS00002600
DPS00002608
DPS00002616
DPS00002624
DPS00002632
DPS00002640
DPS00002648
DPS00002656
DPS00002664
DPS00002672
DPS00002680
DPS00002688

for FANUC R-2000 robots




Robot type
R-2000iC/100P
R-2000iC/125L
R-2000iC/165F
R-2000iC/165R
R-2000iC/210F
R-2000iC/210L
R-2000iC/210R
R-2000iC/240F
R-2000iC/270F
R-2000iC/270R
R-2000iD/100FH
R-2000iD/165FH
R-2000iD/210FH

Article no. A1–A3
DPS00002593
DPS00002601
DPS00002609
DPS00002617
DPS00002625
DPS00002633
DPS00002641
DPS00002649
DPS00002657
DPS00002665
DPS00002673
DPS00002681
DPS00002689

Article no. A3-A6
DPS00002594
DPS00002602
DPS00002610
DPS00002618
DPS00002626
DPS00002634
DPS00002642
DPS00002650
DPS00002658
DPS00002666
DPS00002674
DPS00002682
DPS00002690

for FANUC R-2000 robots




Robot type
R-2000iC/100P
R-2000iC/125L
R-2000iC/165F
R-2000iC/165R
R-2000iC/210F
R-2000iC/210L
R-2000iC/210R
R-2000iC/240F
R-2000iC/270F
R-2000iC/270R
R-2000iD/100FH
R-2000iD/165FH
R-2000iD/210FH

Article no. A1–A2
DPS00002595
DPS00002603
DPS00002611
DPS00002619
DPS00002627
DPS00002635
DPS00002643
DPS00002651
DPS00002659
DPS00002667
DPS00002675
DPS00002683
DPS00002691

Article no. A2–A6
DPS00002596
DPS00002604
DPS00002612
DPS00002620
DPS00002628
DPS00002636
DPS00002644
DPS00002652
DPS00002660
DPS00002668
DPS00002676
DPS00002684
DPS00002692

for FANUC R-2000 robots



Robot type
R-2000iC/100P
R-2000iC/125L
R-2000iC/165F
R-2000iC/165R
R-2000iC/210F
R-2000iC/210L
R-2000iC/210R
R-2000iC/240F
R-2000iC/270F
R-2000iC/270R
R-2000iD/100FH
R-2000iD/165FH
R-2000iD/210FH


Article no. A1–A3
DPS00002597
DPS00002605
DPS00002613
DPS00002621
DPS00002629
DPS00002637
DPS00002645
DPS00002653
DPS00002661
DPS00002669
DPS00002677
DPS00002685
DPS00002693

Article no. A3–A6
DPS00002598
DPS00002606
DPS00002614
DPS00002622
DPS00002630
DPS00002638
DPS00002646
DPS00002654
DPS00002662
DPS00002670
DPS00002678
DPS00002686
DPS00002694

www.leoni-factory-automation.com

for ABB IRB 4600 robots

Interface axis 2



Robot type
IRB 4600 20/2.50
IRB 4600 40/2.55
IRB 4600 45/2.05
IRB 4600 60/2.05


Article no. A1–A2
DPS00002707
DPS00002715
DPS00002723
DPS00002731

Article no. A2–A6	
DPS00002708	
DPS00002716	
DPS00002724	
DPS00002732	

for ABB IRB 4600 robots

Interface axis 3





Contents of lower axis area system

- Support A1–A3
- Corrugated tube nominal Ø 48 (inner Ø 47.5 mm)
- Strain relief solid material
- Interface A3 without holes

- Support A3–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 48 (inner Ø 47.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp

I	Robot type
	IRB 4600 20/2.50
	IRB 4600 40/2.55
	IRB 4600 45/2.05
	IRB 4600 60/2.05


Article no. A1–A3
DPS00002709
DPS00002717
DPS00002725
DPS00002733

Article no. A3-A6	
DPS00002710	
DPS00002718	
DPS00002726	
DPS00002734	



for ABB IRB 4600 robots

Interface axis 2




Robot type
IRB 4600 20/2.50
IRB 4600 40/2.55
IRB 4600 45/2.05
IRB 4600 60/2.05

Article no. A1–A2	
DPS00002711	
DPS00002719	
DPS00002727	
DPS00002735	

Article no. A2-A6
DPS00002712
DPS00002720
DPS00002728
DPS00002736

for ABB IRB 4600 robots

Interface axis 3





Contents of lower axis area system

- Support A1–A3
- Corrugated tube nominal Ø 70 (inner 67.5 mm)
- Strain relief solid material
- Interface A3 without holes

- Support A3–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 70 (inner 67.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp

I	Robot type
	IRB 4600 20/2.50
	IRB 4600 40/2.55
	IRB 4600 45/2.05
	IRB 4600 60/2.05


Article no. A1–A3
DPS00002713
DPS00002721
DPS00002729
DPS00002737

Article no. A3-A6	
DPS00002714	
DPS00002722	
DPS00002730	
DPS00002738	



Empty dresspack systems nominal Ø 48 Interface axis 2

for ABB IRB 6700 + ABB IRB 6650S robots




Robot type
IRB 6650S-200/3.0
IRB 6700 235/2.65
IRB 6700 245/3.00
IRB 6700 300/2.70

Article no. A1–A2
DPS00002739
DPS00002747
DPS00002755
DPS00002763

Article no. A2–A6
DPS00002740
DPS00002748
DPS00002756
DPS00002764

Empty dresspack systems nominal Ø 48 Interface axis 3

for ABB IRB 6700 + ABB IRB 6650S robots



- Pre-assembled corrugated tube nominal Ø 48 (inner Ø 47.5 mm)
- Strain relief solid material
- Bracket A6 with clamp

Robot type
IRB 6650S-200/3.0
IRB 6700 235/2.65
IRB 6700 245/3.00
IRB 6700 300/2.70


Article no. A1–A3	
DPS00002741	
DPS00002749	
DPS00002757	
DPS00002765	

Article no. A3–A6	
DPS00002742	
DPS00002750	
DPS00002758	
DPS00002766	



Empty dresspack systems nominal Ø 70 Interface axis 2

for ABB IRB 6700 + ABB IRB 6650S robots



- Corrugated tube nominal Ø 70 (inner 67.5 mm)
- Strain relief solid material
- Interface A2 without holes
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 70 (inner 67.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp


Robot type
IRB 6650S-200/3.0
IRB 6700 235/2.65
IRB 6700 245/3.00
IRB 6700 300/2.70

Article no. A1–A2
DPS00002743
DPS00002751
DPS00002759
DPS00002767

Article no. A2–A6	
DPS00002744	
DPS00002752	
DPS00002760	
DPS00002768	

Empty dresspack systems nominal Ø 70 Interface axis 3

for ABB IRB 6700 + ABB IRB 6650S robots



Contents of lower axis area system

- Support A1–A3
- Corrugated tube nominal Ø 70 (inner 67.5 mm)
- Strain relief solid material
- Interface A3 without holes

- Support A3–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 70 (inner 67.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp

Robot type	
IRB 6650S-200/3.0	
IRB 6700 235/2.65	
IRB 6700 245/3.00	
IRB 6700 300/2.70	


Article no. A1–A3
DPS00002745
DPS00002753
DPS00002761
DPS00002769


Article no. A3–A6	
DPS00002746	
DPS00002754	
DPS00002762	
DPS00002770	



for ABB IRB 7600 robots

Interface axis 2





Contents of lower axis area system

- Support A1–A2
- Corrugated tube nominal Ø 48 (inner Ø 47.5 mm)
- Strain relief solid material
- Interface A2 without holes

- Support A2–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 48 (inner Ø 47.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp


Robot type
IRB 7600 340/2.80
IRB 7600 325/3.10
IRB 7600 500/2.55

Article no. A1–A2
DPS00002771
DPS00002779
DPS00002787

Article no. A2–A6
DPS00002772
DPS00002780
DPS00002788

for ABB IRB 7600 robots

Interface axis 3



Robot type	
IRB 7600 340/2.80	
IRB 7600 325/3.10	
IRB 7600 500/2.55	

DPS00002773
DPS00002781
DPS00002789


Article no. A3–A6	
DPS00002774	
DPS00002782	
DPS00002790	



for ABB IRB 7600 robots

Interface axis 2





Contents of lower axis area system

- Support A1–A2
- Corrugated tube nominal Ø 70 (inner 67.5 mm)
- Strain relief solid material
- Interface A2 without holes

- Support A2–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 70 (inner 67.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp


Robot type
IRB 7600 340/2.80
IRB 7600 325/3.10
IRB 7600 500/2.55

Article no. A1–A2
IRB 7600 340/2.80
IRB 7600 325/3.10
IRB 7600 500/2.55

Article no. A2-A6
DPS00002776
DPS00002784
DPS00002792

for ABB IRB 7600 robots

Interface axis 3



Robot type	
IRB 7600 340/2.80	
IRB 7600 325/3.10	
IRB 7600 500/2.55	


Article no. A1–A3
DPS00002777
DPS00002785
DPS00002793


Article no. A3–A6
DPS00002778
DPS00002786
DPS00002794



for ABB IRB 8700 robots

Interface axis 2





Contents of lower axis area system

- Support A1–A3
- Corrugated tube nominal Ø 48 (inner Ø 47.5 mm)
- Strain relief solid material
- Interface A3 without holes

- Support A3–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 48 (inner Ø 47.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp


Robot type
IRB 8700-800/3.50
IRB 8700-550/4.20

Article no. A1–A3	
DPS00002797	
DPS00002805	

Article no. A3–A6	
DPS00002798	
DPS00002806	

for ABB IRB 8700 robots

Interface axis 3



Contents of lower axis area system

- Support A1–A3
- Corrugated tube nominal Ø 70 (inner 67.5 mm)
- Strain relief solid material
- Interface A3 without holes

- Support A3–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 70 (inner 67.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp

Robot type
IRB 8700-800/3.50
IRB 8700-550/4.20


Article no. A1–A3
DPS00002801
DPS00002809

Article no. A3-A6
DPS00002802
DPS00002810



for YASKAWA robots

Interface axis 3





Contents of lower axis area system

- Support A1–A3
- Corrugated tube nominal Ø 48 (inner Ø 47.5 mm)
- Strain relief solid material
- Interface A3 without holes

- Support A3–A6
- LEONI LSH 3
- Pre-assembled corrugated tube nominal Ø 48 (inner Ø 47.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp


Robot type
YASKAWA MH280II
YASKAWA GP180
YASKAWA GP225

Article no. A1–A3	
DPS00002811	
DPS00002813	
DPS00002815	

Article no. A3–A6
DPS00002812
DPS00002814
DPS00002816

for YASKAWA robots

Interface axis 3



- nominal Ø 70 (inner 67.5 mm) incl. protection
- Strain relief solid material
- Bracket A6 with clamp

Robot type	
YASKAWA MH280II	
YASKAWA GP180	
YASKAWA GP225	

Article no. A1–A3
DPS00002817
DPS00002819
DPS00002821
2.000020.9

Interface A3 without holes


Article no. A3-A6
DPS00002818
DPS00002820
DPS00002822



Empty dresspack systems with LEONI B-Flex support

for KUKA cobots







Contents

- LEONI B-Flex support A1–A6
- LEONI corrugated tube nominal Ø 23 for LEONI B-Flex
- 5x hook and loop fastener 30 x 360 mm
- 5x hook and loop fastener 30 x 460 mm

Contents

- LEONI B-Flex support A1–A6
- LEONI corrugated tube nominal Ø 23 for LEONI B-Flex
- 5x hook and loop fastener 30 x 360 mm
- 5x hook and loop fastener 30 x 460 mm

Robot type
LBR IIWA 7 R800
LBR IIWA 14 R820
FANUC CR-15
FANUC CR-35iA
FANUC CR-7iA & CR-7iA/L
FANUC CR-4iA
FANUC LR Mate 120
FANUC CRX-10iA/L
FANUC CRX-10iA/L

Article no.	Nominal size of corrugated tube
DPS00000107	nominal Ø 23
DPS00000108	nominal Ø 23
	_

All tiele iio.	corrugated tube
DPS00000109	nominal Ø 23
DPS00000110	nominal Ø 23
DPS00000111	nominal Ø 23
DPS00000112	nominal Ø 23
DPS00000113	nominal Ø 23
DPS00000148	nominal Ø 23
DPS00000149	nominal Ø 29

Nominal size of

Empty dresspack systemswith LEONI B-Flex support for YASKAWA cobots



for STÄUBLI cobots



Contents

- LEONI B-Flex support A1–A6
- LEONI corrugated tube nominal Ø 23 for LEONI B-Flex
- 5x hook and loop fastener 30 x 360 mm
- 5x hook and loop fastener 30 x 460 mm

Contents

- LEONI B-Flex support A1–A6
- LEONI corrugated tube nominal Ø 23 for LEONI B-Flex
- 5x hook and loop fastener 30 x 360 mm
- 5x hook and loop fastener 30 x 460 mm

Robot type
YASKAWA CSDA10F
YASKAWA SDA5F
YASKAWA SDA10F
YASKAWA SDA20F
YASKAWA HC-10
STÄUBLI TX2-60
STÄUBLI TX2-60L
STÄUBLI TX2-90
STÄUBLI TX2-90L
STÄUBLI TX2-90XI

Article no.	Nominal size of corrugated tube
DPS00000114	nominal Ø 23
DPS00000115	nominal Ø 23
DPS00000116	nominal Ø 23
DPS00000117	nominal Ø 23
DPS00000118	nominal Ø 23

Nominal size of

Article no.	Nominal size of corrugated tube

DPS00000119	nominal Ø 23
DPS00000120	nominal Ø 23
DPS00000121	nominal Ø 23
DPS00000122	nominal Ø 23
DPS00000123	nominal Ø 23



Empty dresspack systems with LEONI B-Flex support

for UR cobots



for ABB, OMRON, FRANKA EMIKA cobots



Contents

- LEONI B-Flex support A1–A6
- LEONI corrugated tube nominal Ø 23 for LEONI B-Flex
- 5x hook and loop fastener 30 x 360 mm
- 5x hook and loop fastener 30 x 460 mm

Contents


- LEONI B-Flex support A1–A6
- LEONI corrugated tube nominal Ø 23 for LEONI B-Flex
- 5x hook and loop fastener 30 x 360 mm
- 5x hook and loop fastener 30 x 460 mm

Robot type	
Universal Robots UR3	
Universal Robots UR5	
Universal Robots UR10	
ABB IRB 14000 YuMi	
OMRON Viper 850	
Franka Emika	

Article no.	Nominal size of corrugated tube
DPS00000124	nominal Ø 23
DPS00000125	nominal Ø 23
DPS00000126	nominal Ø 23

Article no.	Nominal size of corrugated tube
DPS00000130	nominal Ø 23
DPS00000139	nominal Ø 23
DPS00000140	nominal Ø 23

Empty dresspack systems with LEONI B-Flex support for TECHMAN cobots



Contents

- LEONI B-Flex support A1–A6
- LEONI corrugated tube nominal Ø 23 for LEONI B-Flex
- 5x hook and loop fastener 30 x 360 mm
- 5x hook and loop fastener 30 x 460 mm

Robot type	
Techman TM12	
Techman TM14	
Techman TM5-700	
Techman TM5-900	

Article no.	Nominal size of corrugated tube
DPS00000141	nominal Ø 23
DPS00000142	nominal Ø 23
DPS00000143	nominal Ø 23
DPS00000144	nominal Ø 23



Sales network



LEONI Robotic Solutions Competence Centres

Germany

LEONI protec cable systems GmbH

France

LEONI CIA Cable Systems S.A.S.

UK

LEONI Tailor-Made Cable UK Ltd.

Spain

LEONI Systems Spain, S.L.

USA

LEONI Engineering Products & Services, Inc.

China

LEONI Special Cables (China) Co., Ltd.

Singapore

LEONI (SEA) Pte. Ltd.

South Korea

LEONI Wiring Systems Korea, Inc.

Your contact

LEONI protec cable systems GmbH

Brüsseler Strasse 12 An der Auehütte 10 30539 Hanover 98574 Schmalkalden

Germany Germany

+49 511 12 35 76-30 +49 3683 6505-0

LEONI Special Cables (China) Co., Ltd.

No. 21 Taihu West Road, New area

Changzhou 213022

China

+86 519 89887702

LEONI CIA Cable Systems S.A.S.

1, Avenue Louis Pasteur/Zone Industrielle de Gellainville

28630 Gellainville

France

+33 2373375-00

LEONI CIA Cable Systems S.A.S.

Pol. Ind. Armenteres Carrer Riera Pahissa nº 14–16

08980 Sant Feliu de Llobregat

Spain

+34 9363544-00

LEONI Engineering Products & Services, Inc.

100 Kay Industrial Drive Lake Orion

Michigan 48359-1831

USA

+1 248 484-5500



Factory Automation

www.leoni-factory-automation.com www.factory-automation-shop.com

■ LEONI Factory Automation